

Investigating the impact of neighborhood and environmental exposures in breast cancer survivorship cohort: the Pathways Study

Salma Shariff-Marco, PhD, MPH

Pathways Forum, 9/21/2023



Place matters: opportunities for improving health





Why is your street address...such a good predictor of your health?

"When we think about health, we usually think about health care and access to health care and the quality of care. But what research clearly shows is that health is embedded in the larger conditions in which we live and work....


Sometimes, we naively think of improving health by simply changing behaviors. But the choices of individuals are often limited by the environments in which they live."


Professor David Williams (Harvard)

"Unnatural Causes. Place Matters." (PBS documentary, 2008)




Why is your street address...such a good predictor of your health?





Contributions of neighborhood environments to health inequalities





Cells-to-Society Model for Health Disparities

Interactions

Research

A framework for multilevel research

Centers for Population Health and Health Disparities, NIH Structural context Structural racism, poverty, policies, norms **Fundamental** causes Institutional context Health system, access to care, healthcare policy Social environment Neighborhood socioeconomic status, collective efficacy, enclave Social & Cancer physical **Built environment** context disparities Walkability, food environment **Sociodemographics** Age, education, income, insurance, gender identity Individual factors Lifestyle factors Smoking, exercise, obesity **Biological responses** Multi-omics **Biologic** factors **Biologic/Genetic pathways**

Adapted from Warnecke et al. AJPH 2008



Pathways Participants' Neighborhoods



Pathways: A study of breast cancer survivorship

MPIs: Larry Kushi, Christine Ambrosone (U01CA195565, R01CA105274)

- 4,504 breast cancer survivors
 - Kaiser Permanente Northern California, 2005-2013
 - Data: surveys, electronic health records, biospecimens, genetic data
 - 97% (n=4,354) geocoded address at or near time of diagnosis

- Neighborhood
 - Block group (~1800 residents)
 - Census tract (~4000 residents)
 - 1600 meter buffers/street network distances





Existing geospatial data

Table 1. Description of neighborhood social and built environment measures




Impact of Social and Built Environment Factors on Body Size among Breast Cancer Survivors: The Pathways Study

Classic har updates

Salma Shariff-Marco^{1,2}, Julie Von Behren¹, Peggy Reynolds^{1,2}, Theresa H.M. Keegan⁵, Andrew Hertz¹, Marilyn L. Kwan⁴, Janise M. Roh⁴, Catherine Thomsen⁵, Candyce H. Kroenke⁴, Christine Ambrosone⁶, Lawrence H. Kushi⁴, and Scarlett Lin Gomez^{1,2}


Contextual data	Data source	Description of measure		
Socioeconomic status	2007-2011 ACS (29)	Block group-level composite measure for income, education, poverty		
		employment, occupation, housing, and rent values (53)		
Racial/ethnic composition	U.S. Census 2010 short-form data (54)	Block group-level measures of % of each racial/ethnic group		
Immigration/acculturation	2007-2011 ACS	Block group-level measures of residential composition on % foreign-		
characteristics		born; tract-level measure of ethnic enclave (Hispanic, Asian)		
Population density	U.S. Census 2010 short-form data	Block group-level measures of population size per square mile		
Urbanization (rural/urban)	U.S. Census 2010 short-form data	Block group-level composite measure based on census defined		
		urbanized area, population size, and population density		
Businesses	Dunn & Bradstreet annual business listings	Residential buffer (1,600 m) measures of total businesses, total numbe		
	(1990-2008), via Walls & Associates (35)	of recreational facilities, retail food environment index (38), and		
		restaurant environment index		
Commuting by car	2007-2011 ACS	Tract-level measures of proportion of population who drive to work (cal		
		motorcycle, taxicab, and other)		
Street connectivity	NAVTEQ (32)	Block group-level measure of walkability, using the gamma index (31		
Parks	NAVTEQ (32)	Residential buffer (1,600 m) measure of total number of parks		
Farmer's markets	California Department of Food and Agriculture (36)	Tract-level counts of farmers' markets		
Traffic density	California Department of Transportation (33)	Residential buffer (500 m) measure of volume of traffic (34)		

- Existing geospatial data
- Remote sensing/machine learning methods



DREA.I.I.LAB

Green space, blue space, and light at night





0.1 - 0.20.21 - 0.8

0.81 - 1.0


MA E

Existing geospatial data

Remote sensing/machine

learning methods


Virtual street audits





- Existing geospatial data
- Remote sensing/machine learning methods
- Virtual street audits
- Self-report data on neighborhood attributes
 - 72-month follow-up survey

Access to Resources by Race/Ethnicity/Nativity





- Existing geospatial data
- Remote sensing/machine learning methods
- Virtual street audits
- Perceived neighborhood attributes (72-month)
- Residential histories

Physical environment

- Air pollutants: ozone, PM_{2.5}, diesel,
- Ground pollutants: agricultural pesticides, toxic releases from facilities, toxic cleanups, solid waste sites
- Water pollutants: groundwater, hazardous waste facilities, impaired water bodies
- Source: Cal EnviroScreen 3.0, California Communities Environmental Health Screening Tool



Findings from the Pathways Study



CEBP FOCUS: Geospatial Approaches to Cancer Control and Population Sciences Impact of Social and Built Environment Factors on Body Size among Breast Cancer Survivors: The Pathways Study Salma Shariff-Marco^{1,2}, Julie Von Behren¹, Peggy Reynolds^{1,2}, Theresa H.M. Keegan³, Andrew Hertz¹, Marilyn L. Kwan⁴, Janise M. Roh⁴, Catherine Thomsen⁵, Candyce H. Kroenke⁴, Christine Ambrosone⁶,

- Neighborhood attributes associated with overweight/obesity:
 - Lower socioeconomic status
 - High minority composition
 - High traffic density

Lawrence H. Kushi⁴, and Scarlett Lin Gomez^{1,2}

- High prevalence of commuting by car/motorcycle
- Higher number of fast-food restaurants



ORIGINAL ARTICLE

Neighborhood attributes and cardiovascular disease risk in breast cancer survivors: The Pathways Study

- Neighborhood attributes and risk of cardiovascular disease
 - Highest crime score: 50% increased risk
 - Lowest % of Asian American residents: 85% increased risk





Original Contribution

Impact of Racial/Ethnic Discrimination on Quality of Life Among Breast Cancer Survivors

The Pathways Study

Salma Shariff-Marco*, Meera Sangaramoorthy, Libby Ellis, Catherine Thomsen, Janise M. Roh, Candyce Kroenke, Emily Valice, Marilyn L. Kwan, Christine Ambrosone, Lawrence Kushi, and Scarlett Lin Gomez

 Correspondence to Dr. Salma Shariff-Marco, Department of Epidemiology and Biostatistics, School of Medicine, University of California, San Francisco, 550 16th Street, MH-2633, San Francisco, CA 94158 (e-mail: salma.shariff-marco@ucsf.edu).

Initially submitted April 19, 2022; accepted for publication November 30, 2022.

 Discrimination was associated with worse quality of life

- Varied by attributes of place:
 - Segregation
 - Ethnic enclave
- Residing in neighborhoods with more residents from shared racial or ethnic group may buffer impact



Social stressors and embodiment of stress

- Neighborhood stressors
 - Low SES
 - Nighttime light
 - Crime
 - Traffic density
 - Household crowding
 - Unhealthy food environment (convenient stores, liquor stores, fast food restaurants)

- Potential buffers
 - Green space
 - Blue space



How do these stressors get under your skin?

- Allostatic load: a biological measure of the wear and tear of chronic and cumulative stress on the body
 - Intermediary survivorship outcome → morbidity and mortality
- Biological pathways
 - Cardiovascular
 - Metabolic
 - Immune/inflammatory
 - Neuroendocrine



Neighborhood factors associated with allostatic load

- Increased odds of high allostatic load was associated with
 - Neighborhood socioeconomic status
 - Household crowding
 - Unhealthy Food Environment
 - Crime
 - Traffic density
 - Light at night
- Decreased odds of high AL was associated with
 - Green space



Neighborhood SES –allostatic load associations

	Model 1 (age, stage)	Model 2 (+ neighborhood)	Model 3 (+ stress, physical activity, smoking, alcohol)	Model 4 (+ race/ethnicity, education, income, marital status, parity, comorbidity)
Neighborhood Socioeconomic Status (quintiles) ^d	OR (95% CI)	OR (95% CI)	OR (95% CI)	OR (95% CI)
Q1: <-0.76 (low)	2.07 (1.48-2.89)	1.73 (1.19-2.50)	1.59 (1.07-2.35)	1.25 (0.81-1.93)
Q2: -0.760.13	2.01 (1.55-2.62)	1.80 (1.36-2.39)	1.58 (1.19-2.11)	1.21 (0.87-1.67)
Q3: -0.14-0.43	1.68 (1.33-2.11)	1.58 (1.25-2.00)	1.58 (1.23-2.04)	1.45 (1.09-1.92)
Q4: 0.44-1.08	1.51 (1.22-1.87)	1.47 (1.18-1.82)	1.41 (1.11-1.78)	1.29 (1.00-1.67)
Q5: >1.08 (high; reference)	1.0	1.0	1.0	1.0
p-trend	<0.01	<0.01	<0.01	0.15



Summary across neighborhood studies

- Neighborhood factors: not as highly correlated
- Results varied by racial, ethnic and nativity groups
- Multilevel interventions: consider neighborhood attributes that can promote health



Discussion

- Pathways Study: a unique resource
- Neighborhood studies: multilevel factors influence survivorship outcomes
- Data dissemination: communities



Acknowledgements

- Kaiser Permanente Northern California
- Roswell Comprehensive Cancer Center
- University of California Davis
- University of California San Francisco
- Zero Breast Cancer

Study participants and CAB





Thank you! Questions?

DREA.I.I.LAB

https://dreamlab.ucsf.edu/





Salma.Shariff-Marco@ucsf.edu